

Keeping customers demand quality, flexibility and liableness in mind, Inventive doors & decors started up a initiative to style doors and to grant the desires by meeting with expectations of every shopper in the year 2015 in the month of Nov With a strong belief to bring a new know-how to the industry, Inventive doors & decors boldly launched as a manufacturer of high-end architectural wooden doors. The vision of the company is based on forward-thinking, a passion for product development and a singular attention to details. Inventive doors & decor is distinguished by its design, quality and by manufacturing upscale wooden doors. Our pioneering expertise enables us to arrange to perfection, wood species, curves and moulding, giving a prestigious and unique style with solid wood creations of exceptional quality.



We strongly believe in delivering products with top-notch quality on time.



To establish our brand as pioneers in the home-improvement industry.





Innovation is breaking away from tradition. Rules create uniformity. Breaking away from the norm result is something unique.

When the passion for design and aesthetics breathes within us, selecting doors and windows is an undeniable pleasure. Furthermore, the entry door is the important item of this set since it adds character to the residence.

The manufacturing ways offer them sturdiness and exceptional stability. Best part is the customization that can be done to make your door to make it unique.



On Time Delivery



Wide Range Of Product



Competitive Rates



Quality Focused

STRENGTHENED FOR STABILITY

The unitised construction of Inventive engineered doorsets makes it stronger than wooden doors. The Factory finish ensures a comprehensive 6 side protection, shielding the door against hostile weather conditions.

CUSTOMISED FIT

Inventive offer you doors of international standards customized to your exact measurements. You can simply choose the color, grain and the make, order it in the size you need and get it deliver. It's that Simple.

CRAFTED TO LAST

Superior product design, manufacturing and installation process result in a lifetime performance with minimal maintenance.



OUR PRODUCTS



- Veneer Doors
- Tubular Doors
- Laminated doors
- Moulded Doors
- Post Forming doors
- · Solid wooden doors
- Flush Doors
- Membrane Doors



- Plywood Laminated Frames
- Post Forming doors
- Wooden Frames
- Finger Joint Frames





- Steam Beech Wood
- Teak Wood
- Walnut Wood
- Maple Wood
- Ash Wood
- Sapele Wood

- Pine Wood
- Meranti Wood
- Teak Wood



WOOD

DOOR SPECIFICATION



SPECIFICATION

BONDING:

STILE & RAIL: Klin dried solid wood

FILLER: Tubular particle board

Marine Adhesive **SURFACE:** High density fiber board

with laminate

DOOR SIZE: Height (inches) - 78, 81, 84

Width (inches) - 27, 30, 33, 36 Thickness (mm) - 32, 35, 40

Custom sizes available on request

RESIZABLE: Maximum upto 20mm from any side

CERTIFICATION AND COMPLIANCE

The FSC certification is considered the "gold standard" designation for wood harvested from forests that are responsibly managed, socially beneficial, environmentally conscious, and economically viable, We only use ethically sourced wood without disturbing the natural balance of our ecosystem.















COMPLETE DOOR SOLUTIONS

Innovations must serve a need. If it doesn't, innovation is pointless. Inventive Doors & Frames have been designed to suit every need and purpose. Their design and performance have been crafted to match a wide range of sectors and applications.



FOR BUILDER

Requirements.

- Zero maintenance
- Cost effective
- Zero site work
- Timely delivery



FOR ARCHITECT/ INTERIOR DESIGNER

Requirements.

- Exclusive Design
- Innovative custom Doors



FOR CONTRACTOR

Requirements.

- Ready to install
- Resizeable

OUR DOOR FEATURES

- Tubular Board
- No Edges seen
- Tubular Board
- Luxive
- Inverious

DOOR ADVANTAGES

DOORS WITH IDEAL WEIGHT

These are high performance solid core fillers made up of triple layer density particle board imported from Germany and have dual core layer of high density wood. Ordinary Particle Board is heavy. This affect handling during installation. More over bigger hinges are necessary to keep the door in the right position. This leads to higher costs.








IMPACT RESISTANCE

Honeycomb does not resist mechanical stress. Common Experience shows however that doors are under continuos workload and can easily be damaged. our imported tubular boar featuring excellent characteristics guarantees their integrity for decades.

NO BENDING

Honeycomb Infill, Ordinary Particle Board and Wooden Strips cause bending which however leads to a number of defects in the door's daily use: Closing is impeded, noise passes through, heat insulation is decreased and an aesthetical defect is visible.
















NO TELEGRAPHING

Ordinary Particle Board always has the tendency to grow in thickness, This leads to telegraphing and thus to an optical defect to the door surface at the medium run. Our imported Tubular Board is extremely precise in thickness and - even more important- does not grow in thickness during the door's lifetime.







SOUND INSULATION

Honeycomb does not form a real obstacle to sound. Quiet the contrary: Noise easily passes through. This leads to disturbance in neighbouring rooms. Our Imported Tubular Board performs brilliantly as a sound barrier. This has been proven in independent testing institutes.

FIRE RESISTENCE

Wooden Strips Fire is a serious threat especially in big cities. Using conventional doors it will take you only minutes to face a burn through. This picture is shows a Honeycomb infill after 8 min. under fire and a Wooden strip infill after 20 min. Our Tubular Board as infill has proven to provide easily 30 min. fire protection to the door. Up to 60 min. can be achieved using upgraded types of construction.

















SPECIFICATION

FRAME SIZE: LENGTH (MM) - 990,2210

SECTION (MM) - 90X55, 115X55(SOLID WOOD FRAME)


SECTION (MM) - 90X42, 115X42(DECORATIVE)

ARCHITRAVE SIZE: LENGTH (MM) - 1070,2290

SECTION (MM) - 50X12

FRAMES AND ARCHITRAVES WILL BE SUPPLIED IN LOOSE LENGTH PIECES ONLY AND ANY RESIZING AND INSTALLATION IS TO BE DONE AT SITE.

KNOW YOUR FRAMES AND ARCHITRAVES





HARD WOOD FRAME AND ARCHITRAVE

- Hardwood and Engineered wood for door frames and architrave.
- Teakwood and Red Meranti Hardwood available.
- Engineered Hardwood made from German Beechwood.
- Extra Ordinary Hardness, Strongand Stiff.
- High Density wooden logs.
- Consistent in burning behaviour. (Fire-Rating).
- Excellent Surface Finish.
- Minimum Warping.

TECHNICAL SPECIFICATION

TEAKWOOD, RED MERANTI & GERMAN BEECH WOOD LVL

Maximum Opening Size

240 cms x 240 cms (Double Door) 240 cms x 120 cms (Single Door)

Frame Sections

Teakwood&RedMeranti 90mmx55mm,115mmx55mm,140mmx55mm

German Beechwood LVL 100mmx42mm, 115mmx42mm, 125mmx42mm

Architrave Sections 5 4 1

40mmx10mm(Front) 20mmx10mm(Rear)









INVENTIVE INVENTIVE

Contemporary style has a classic heart.

Contemporary style has a classical heart. A new 'INVERIOUS' collection, designed to give a contemporary feel to every room. Perfect doors with a classical harmony, updated using a modern, versatile concept for those who like to care for every little detail.





INVENTIVE INVENTIVE













6684/6794







6684/6794 3094







laminate finishes with WOW effect!

The 'LUXRIO' laminate doors collection, enhanced by precious finishes, is extremely rich and diversified yet still highly accessible. These products have evolved over time and are now achieved using advanced technologies that reach very high levels of quality and style, allowing the creation of doors with the appearance of any other material.





















6741/42 6793











Veneer Door







Moulded Door



We are just one call away....+91 87330 13699

INVENTIVE DOORS AND DECORS PVT. LTD.

Block no.2/13/2, Near New Ambaji Temple, Sola, Science City, Ahmedabad, Gujarat-380060 sales@InventiveDoors.com | www.InventiveDoors.com